

Geographies Specification

Version 1.1.1 10-March-2014

Geographies Specification Version 1.1.1

Working Group: Technical Working Group

Notice:

As of the date of publication, this document is a release candidate specification subject to DECE Member review and final adoption by vote of the Management Committee of DECE in accordance with the DECE LLC Operating Agreement. Unless there is notice to the contrary, this specification will become an adopted “Ecosystem Specification” on 24 April 2014.

THIS DOCUMENT IS PROVIDED “AS IS” WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE. Digital Entertainment Content Ecosystem (DECE) LLC (“DECE”) and its members disclaim all liability, including liability for infringement of any proprietary rights, relating to use of information in this specification. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted herein.

Implementation of this specification requires a license from DECE. This document is subject to change under applicable license provisions.

Copyright © 2009-2014 by DECE. Third-party brands and names are the property of their respective owners.

Contact Information:

Licensing inquiries and requests should be addressed to us at: <http://www.uvvu.com/uv-for-business>

Geographies Specification Version 1.1.1

Contents

1	Introduction	7
1.1	Scope	7
1.2	Document Organization	7
1.3	Document Notation and Conventions.....	7
1.4	Normative References.....	8
1.4.1	DECE References	8
1.4.2	Normative References.....	8
1.5	Definitions	8
2	Overview and Default Policies.....	9
2.1	Overview.....	9
2.2	Authorized Territories	9
2.2.1	Change of Territory	10
2.3	Determination of Jurisdiction.....	10
2.4	Mandatory Geography Policy Information.....	10
2.5	Additional Geography Policy Information	12
2.6	Default Policies and Requirements	12
2.6.1	Terms of Use/Privacy Policy Acceptance and Updates.....	13
2.6.2	Age-related Policies.....	15
2.6.3	Connected Legal Guardian	16
2.6.4	Information Sharing	18
2.6.5	Automatic Policy Creation by Coordinator	18
2.6.6	Content Ratings and Parental Controls.....	19
2.6.7	Consent Collection	19
2.6.8	Default Password Recovery Questions	20
Appendix A.	Geography Policies for the United States	22
A.1	Jurisdiction.....	22
A.2	Parameters for United States	22
A.3	Age-related Constraints for United States	23
A.3.1	Introduction	23
A.3.2	Determination of Age.....	23
A.3.2.1	COPPA Guidelines for Age Collection	23
A.3.3	Country Attribute	23
A.3.4	Default Parental Control Policy Settings	24
A.3.5	Consent	24
A.3.5.1	Retailer Consent for Disclosure of Content Information.....	25
A.3.5.2	LASP Consent for Disclosure of Content Access	25
A.3.6	Restrictions on Certain Age Categories.....	25
A.3.7	Visibility of a Child User’s Information.....	27
A.3.8	Limitations on User Profile information Updates	27
A.4	Connected Legal Guardian	29
A.4.1	Required COPPA Communications.....	29
A.4.2	Event Notifications for Connected Legal Guardians	30
A.5	(Blank).....	30
A.6	Rating Systems and Identifiers for United States.....	30

Geographies Specification Version 1.1.1

A.6.1	Parental Control Settings	30
A.6.2	Content Rating	32
A.7	Additional or Changed Coordinator Notifications for the United States	32
Appendix B.	Geography Policies for the United Kingdom and Crown Dependencies	33
B.1	Jurisdiction.....	33
B.2	Parameters for the United Kingdom	33
B.3	Age-related Constraints for the United Kingdom.....	34
B.3.1	Introduction	34
B.3.2	Determination of Age.....	34
B.3.3	Country Attribute	34
B.3.4	Default Parental Control Policy Settings	34
B.3.5	Consent	35
B.3.6	Restrictions on Certain Age Categories.....	35
B.3.7	Visibility of a Child User’s Information.....	37
B.3.8	Limitations on User Profile information Updates	38
B.4	Connected Legal Guardian	39
B.4.1	Event Notifications for Connected Legal Guardians	39
B.5	Cookies	40
B.6	Rating Systems and Identifiers for the United Kingdom	40
B.6.1	Parental Control Settings	41
B.6.2	Content Rating	41
Appendix C.	Geography Policies for Canada	42
C.1	Jurisdiction.....	42
C.2	Parameters for Canada.....	42
C.3	Age-related Constraints for Canada	43
C.4	Connected Legal Guardian	43
C.5	(Blank).....	43
C.6	Rating Systems and Identifiers for Canada.....	43
C.6.1	Parental Control Settings	43
C.6.2	Content Rating	44
C.7	Additional or Changed Coordinator Notifications for Canada	44
Appendix D.	Geography Policies for the Republic of Ireland	45
D.1	Jurisdiction.....	45
D.2	Parameters for Ireland	45
D.3	Age-related Constraints for Ireland.....	46
D.4	Connected Legal Guardian	46
D.5	Cookies	46
D.6	Rating Systems and Identifiers for Ireland	46
D.6.1	Parental Control Settings	46
D.6.2	Content Rating	46
Appendix E.	Geography Policies for Australia.....	48
E.1	Jurisdiction.....	48
E.2	Parameters for Australia.....	48
E.3	Age-related Constraints for Australia	49
E.4	Connected Legal Guardian	49
E.5	Cookies	49

Geographies Specification Version 1.1.1

E.6	Rating Systems and Identifiers for Australia	49
E.6.1	Parental Control Settings	49
E.6.2	Content Rating	49
Appendix F.	Geography Policies for New Zealand	51
F.1	Jurisdiction.....	51
F.2	Parameters for New Zealand.....	51
F.3	Age-related Constraints for New Zealand	52
F.4	Connected Legal Guardian	52
F.5	Cookies	52
F.6	Rating Systems and Identifiers for New Zealand.....	52
F.6.1	Parental Control Settings	52
F.6.2	Content Rating	52
Appendix G.	Geography Policies for France	54
G.1	Jurisdiction.....	54
G.2	Parameters for France	54
G.3	Age-related Constraints for France	55
G.3.1	Introduction	55
G.3.2	Determination of Age.....	55
G.3.3	Country Attribute	55
G.3.4	Default Parental Control Policy Settings	55
G.3.5	Consent	56
G.3.6	Restrictions on Certain Age Categories.....	56
G.3.7	Visibility of a Child User’s Information.....	57
G.3.8	Limitations on User Profile information Updates	57
G.4	Connected Legal Guardian	58
G.5	Cookies	58
G.6	Rating Systems and Identifiers for France.....	59
G.6.1	Parental Control Settings	59
G.6.2	Content Rating	59
Appendix H.	Geography Policies for Germany	60
H.1	Jurisdiction.....	60
H.2	Parameters for Germany.....	60
H.3	Age-related Constraints for Germany	61
H.4	Connected Legal Guardian	61
H.5	Cookies	61
H.6	Rating Systems and Identifiers for Germany.....	61
H.6.1	Parental Control Settings	61
H.6.2	Content Rating	62
Appendix I.	Geography Policies for Austria.....	63
I.1	Jurisdiction.....	63
I.2	Parameters for Austria	63
I.3	Age-related Constraints for Austria.....	64
I.4	Connected Legal Guardian	64
I.5	Cookies	64
I.6	Rating Systems and Identifiers for Austria	64
Appendix J.	Geography Policies for Switzerland	65

Geographies Specification Version 1.1.1

J.1	Jurisdiction.....	65
J.2	Parameters for Switzerland	65
J.3	Age-related Constraints for Switzerland	66
J.4	Connected Legal Guardian	66
J.5	Cookies	66
J.6	Rating Systems and Identifiers for Switzerland.....	66
Appendix K.	Geography Policies for Belgium	67
K.1	Jurisdiction.....	67
K.2	Parameters for Belgium.....	67
K.3	Age-related Constraints for Belgium	68
K.4	Connected Legal Guardian	68
K.5	Cookies	68
K.6	Rating Systems and Identifiers for Belgium.....	68
K.6.1	Parental Control Settings	68
Appendix L.	Geography Policies for Luxembourg.....	70
L.1	Jurisdiction.....	70
L.2	Parameters for Luxembourg.....	70
L.3	Age-related Constraints for Luxembourg.....	71
L.4	Connected Legal Guardian	71
L.5	Cookies	71
L.6	Rating Systems and Identifiers for Luxembourg	71
Appendix M.	Geography Policies for the Netherlands.....	72
M.1	Jurisdiction.....	72
M.2	Parameters for the Netherlands.....	72
M.3	Age-related Constraints for the Netherlands	73
M.4	Connected Legal Guardian	73
M.5	Cookies	73
M.6	Rating Systems and Identifiers for the Netherlands	73
M.6.1	Content Rating	74

Geographies Specification Version 1.1.1

1 Introduction

1.1 Scope

This document specifies mandatory and optional policies for implementation of DECE Account and User management features within specific geographical territories. It will be updated as additional Licensed Territories are added.

1.2 Document Organization

- Section 1 Introduction, scope, organization, notations and conventions, references, and glossary of terms specific to this document. (See [Dsystem] for general definitions.)
- Section 2 Presents an overview of Geography Policies. Defines the default policies and how to implement them.
- Appendices An appendix is provided for each geographical territory for which DECE has defined policies.

1.3 Document Notation and Conventions

Certain parameters with values that vary between geographies are denoted in all caps beginning with DGEO_ and are defined in each appendix.

The following terms are used to specify conformance elements of this specification. These are adopted from the ISO/IEC Directives, Part 2, Annex H [ISO-P2H].

SHALL and SHALL NOT indicate requirements strictly to be followed in order to conform to the document and from which no deviation is permitted.

SHOULD and SHOULD NOT indicate that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is deprecated but not prohibited.

MAY and NEED NOT indicate a course of action permissible within the limits of the document.

Terms defined to have a specific meaning within this specification will be capitalized, e.g. "Track", and should be interpreted with their general meaning if not capitalized. Normative key words are written in all caps, e.g. "SHALL".

Geographies Specification Version 1.1.1

1.4 Normative References

1.4.1 DECE References

This document normatively references the following DECE technical specifications:

[DSystem]	System Specification
[DMeta]	Content Metadata Specification
[DCoord]	Coordinator API Specification
[DSecMech]	Message Security Mechanisms Specification

1.4.2 Normative References

This document normatively references the following external publications:

[ISO3166-1]	Codes for the representation of names of countries and their subdivisions – Part 1: Country codes, 2007
[RFC2616]	Hypertext Transfer Protocol —HTTP/1.1
[ASCII]	ISO/IEC 8859-1:1998, “Information technology – 8-bit single-byte coded graphic character sets – Part 1. Latin alphabet No. 1”
[ISO-P2H]	ISO/IEC Directives, Part 2, Annex H http://www.iec.ch/tiss/iec/Directives-part2-Ed5.pdf

1.5 Definitions

Adult User or Adult	A User at or above the age of majority (DGEO_AGE OF MAJORITY).
Child User or Child	A User under a certain age (DGEO_CHILD USER_AGE).
Youth User or Youth	A User younger than an Adult User but not a Child User. (At or above DGEO_CHILD USER_AGE but under DGEO_AGE OF MAJORITY).
Connected Legal Guardian (CLG)	An Adult User, who is a Full Access User, who creates an account for a Child User, and who attests that they are the parent or legal guardian of that Child User.

Geographies Specification Version 1.1.1

2 Overview and Default Policies

2.1 Overview

This Geographies Specification facilitates compliance with legal requirements, practices, and customs within different regions. Among other provisions, this specification contains mandatory requirements, primarily for the Retailer, LASP, and Access Portal Roles with respect to the provision of Account and User creation and management services.

This specification also describes certain best practices and other information to enable the Coordinator, DECE, and its Licensees to provide service within particular regions. Considerations for local customs and cultures may also be included to ensure a satisfactory user experience in a particular region.

Please note that it is the responsibility of each licensee to comply with all applicable laws. The requirements in this specification do not limit that responsibility, and compliance with these requirements does not guarantee compliance with applicable laws.

Some information in this document applies only to the Coordinator or the Web Portal Role, as indicated.

2.2 Authorized Territories

A Node providing Account creation services SHALL set the Country property of the Account to a Country Name from Table 1.

Note: Currently the Coordinator automatically sets the Country of each User to the Country of the User's Account. In the future it may be possible to have Users with different Country properties in a single Account.

The Country Name MAY be obtained from the User, in which case the list of Country Names presented to the User for selection SHALL contain only entries from Table 1, but is not required to contain all entries in Table 1.

The Node MAY set the Country property based on the IP address of the User or the territory of operation of the Licensee.

Country	Country Code (ISO 3166-1)	Applicable Appendix
Australia	AU	Appendix E
Austria	AT	Appendix I

Geographies Specification Version 1.1.1

Country	Country Code (ISO 3166-1)	Applicable Appendix
Canada	CA	Appendix C
France	FR	Appendix G
Germany	DE	Appendix H
Ireland	IE	Appendix D
New Zealand	NZ	Appendix F
Switzerland	CH	Appendix J
United Kingdom	GB	Appendix B
United States	US	Appendix A

Table 1: Authorized Countries

2.2.1 Change of Territory

A Node SHALL NOT change the Country property of an Account or a User.

A future revision to this document may prescribe conditions and policies governing (i) the change of a User's or an Account's country (and thus, the restrictions and requirements resulting from such a change), and (ii) situations where different Users of the same Account select different Country properties.

2.3 Determination of Jurisdiction

The applicability of the appropriate default policies and territory-specific policies from the appropriate appendix SHALL be determined from the Country property of each User in an Account.

The Country property for each User of an Account SHALL be the same as the Country property selected by the first User of the Account, who created the Account. This Country property SHALL be propagated to each newly created User of such Account. Newly created Users of Accounts SHALL NOT be able to select a different Country property than that which was selected by the first User of such Account.

2.4 Mandatory Geography Policy Information

This specification defines the following information for each territory:

- DGEO_PROFILE_ID: a unique identifier for the set of policies in the form `urn:dece:type:geoprofile:{geography identifier}:{date}`. The {geography

Geographies Specification Version 1.1.1

`identifier` is used to compose geography-specific parameters. It will generally use country codes defined in [ISO3166-1]. For example: `urn:dece:type:geoprofile:US:20110201`.

- **DGEO_API_DNSNAME**: the base DNS name upon which the geography's Coordinator API base location is calculated. This may be identical for multiple geographies. See [DCoord] section 3.12 for its use.
- **DGEO_PORTALBASE**: the fully qualified domain name for the primary Web Portal operated by DECE. This may be identical for multiple geographies. It is required for the proper consent request endpoints defined in [DCoord] section 5.5.3.1.
- **DGEO_TEXTBASE**: the domain name for the well-known URL that directs or redirects to consent text for the region, including policy documents for UltraViolet Terms of Use, UltraViolet Privacy Policy, and UltraViolet Children's Privacy Policy. See [DCoord] 5.5.3.
- **DGEO_PORTAL_LANGUAGES**: a listing of mandatory language or languages required for operation of a Web Portal in the region, which should be expressed in the form provided by [RFC2616].
- **DGEO_USER_LANGUAGES**: recommended language setting for a User. Nodes (including the Web Portal) SHOULD set the Languages element of UserData accordingly.
- **DGEO_CHILDSUSER_AGE**: the age of a User, such that for users under this value, the Coordinator and other Roles may be required to implement special legal or operational considerations when providing services to children. For example, in the US, the Children's Online Privacy Protection Act (COPPA) places special requirements on operators when collecting and distributing information from children under the age of 13.
- **DGEO_AGEFMAJORITY**: the age of majority, such that at or above this value, the User is considered to be an adult.
- **DCOORD_FAU_MIN_AGE**: the minimum age for a Full Access User.
- **DCOORD_SAU_MIN_AGE**: the minimum age for a Standard Access user
- **DCOORD_BAU_MIN_AGE**: the minimum age for a Basic Access User
- **DGEO_TOU_ACCEPTANCE_GRACE_PERIOD**: The maximum time, beginning at User creation, during which a User may be active without accepting the Terms of Use. If 0, Terms of Use SHALL be accepted before the User may become active.

Geographies Specification Version 1.1.1

- **DGEO_TOU_UPDATE_GRACE_PERIOD:** The maximum time a User may continue to be active without accepting the applicable Terms of Use after they are updated. The default value for this grace period is 0, but it may be increased for a given update.
- **Policy document URLs:** DGEO_TOU, DGEO_PP, and DGEO_CPP, referencing the UltraViolet Terms of Use, UltraViolet Privacy Policy, and UltraViolet Children’s Privacy Policy, respectively. These documents are provided in both HTML and text format, to be used by Nodes that link to the documents or present them integrated in the Node’s own UI.

2.5 Additional Geography Policy Information

This specification may provide the following additional information for a territory:

- Any necessary adjustments to Policies described in [DCoord] Section 5.
- The ability for DECE Licensees or other third parties to collect consent on behalf of DECE (for example, can Nodes collect consent directly, or are they required to direct the User to the Web Portal in order to obtain certain consents).
- Identification of which consents, if any, must not be “pre-accepted” (checkbox not pre-checked) within a user interface when obtaining consent from a User.
- The ability of a User to provide consent or acceptance to any of the defined policies on behalf of another User in the Account.
- Any additional mandatory or optional policies not defined in [DCoord] Section 5.
- Any necessary adjustments to the confidentiality recommendations provided in [DSecMech].
- Aspects of the specifications that must not be employed, including Policies, APIs, or other functionality of the Coordinator. For example, prohibition of the UserDataUsageConsent policy for Users under the age determined by the DCOORD_POLICY_CHILDDUSER_AGE parameter.

2.6 Default Policies and Requirements

The following policies apply generally but may be altered by territory-specific requirements. Before implementing anything from this section, refer to the appropriate appendix below for requirements that may alter or supersede this section.

Geographies Specification Version 1.1.1

2.6.1 Terms of Use/Privacy Policy Acceptance and Updates

Terms of Use (TOU) and Privacy Policy are separate documents, but the Privacy Policy (including any Children’s Privacy Policy, Junior Privacy Policy, or region-specific additional privacy policy) is included by reference in the TOU. User acceptance of both Terms of Use and Privacy Policy is collected as a single consent. Reference to TOU acceptance in this and other specifications indicates acceptance of both the Terms of Use and the incorporated Privacy Policy.

2.6.1.1 Initial TOU Acceptance

Initial Terms of Use and Privacy Policy acceptance SHALL only be collected at a Web Portal or at a Node providing User creation.

2.6.1.2 Updated TOU Acceptance

Acceptance of an updated Terms of Use or Privacy Policy SHALL be collected by any Node (including a Web Portal) when the Node determines that the User has not accepted the current TOU, based on any of the following:

- The User status is TOU blocked (`urn:dece:type:status:blocked:tou`). The Node will receive an error response of “LatestTOUNotAccepted” from the Coordinator when attempting to use most APIs (see [DCoord] Appendix H).
- The most recent TermsOfUse resource (`urn:dece:type:policy:TermsOfUse`) for the User does not match the resolved URL of the current TOU endpoint (DGEO_TOU). The Node SHOULD compare both the html form (`.../html/Current`) and the text form (`.../text/Current`) of DGEO_TOU to the Resource element of the TermsOfUse policy class for the User to check that neither match.

2.6.1.3 Mechanisms for TOU Acceptance

A Node MAY use the Coordinator-provided endpoints, as detailed in [DCoord] 5.5.3.1 and [DSecMech] 7.1.4, to direct the User to a Web Portal for TOU acceptance, or the Node MAY directly collect TOU acceptance as detailed in 2.6.1.4.

2.6.1.4 TOU Acceptance at a Node

A Role providing direct TOU acceptance at a Node is subject to the following requirements.

Geographies Specification Version 1.1.1

The Node SHALL request that the User read and agree to the UltraViolet Terms of Use and Privacy Policy. (Note that although the Privacy Policy is included by reference in the Terms of Use, the Node SHALL explicitly request acceptance for both.)

The Node SHALL present the User with a clear "mechanism of acceptance" (i.e., an industry standard method, such as a check-box or "Accept" button) to indicate the User's agreement to the UltraViolet TOU/Privacy Policy.

The Node SHALL provide a clear and conspicuously-placed notice to the User that using the "mechanism of acceptance" constitutes the User's agreement to the UltraViolet Terms of Use and Privacy Policy. For example, a checkbox labeled "I have read and agree to the UltraViolet Terms of Use and Privacy Policy" or a notice above a button stating "By selecting [button name] I acknowledge that I have read and agree to the UltraViolet Terms of Use and Privacy Policy."

The text "Ultraviolet Terms of Use" SHALL be a hyperlink to DGEO_TOU. The text "Privacy Policy" SHALL be a hyperlink to DGEO_PP. In environments where hyperlinks are not possible, the Node SHALL retrieve the full text of the UltraViolet TOU and the full text of the UltraViolet Privacy Policy from DGEO_TOU and DGEO_PP and present the text to the User.

The TOU and Privacy Policy presented to the User SHALL match the intended country setting of the prospective User (and Account, for the initial User of an Account). If a Node provides a feature for the User to select a country, the Node SHALL ensure that the correct TOU and Privacy Policy are presented based on the User's selection.

The Role SHALL clearly distinguish the UltraViolet TOU/Privacy Policy from its own terms of use, terms of service, and privacy policy so as not to confuse or mislead Users as to the origin of the UltraViolet TOU/Privacy Policy.

Upon receiving agreement to the UltraViolet TOU/Privacy Policy from the User, the Node SHALL immediately notify the Coordinator of this agreement by creating or updating the TermsOfUse policy for the User (see [DCoord] 5.6). Also see section 2.4 for the geography-specific Policy Class URN to use when setting the TermsOfUse policy.

The Role SHALL NOT engage in or permit any transactions or other Ecosystem activity by the User until it receives a response from the Coordinator affirming that the TermsOfUse policy was successfully created or updated.

Geographies Specification Version 1.1.1

2.6.1.5 TOU Acceptance Grace Periods

During the DGEO_TOU_ACCEPTANCE_GRACE_PERIOD, if the User, or CLG as appropriate, has not accepted the TOU, the User SHALL NOT be able to consume Content – specifically the User SHALL NOT be able to download Content, acquire DRM licenses, or stream Content, but SHALL be able to perform all other normally allowed User functions. At the end of this period, if the User, or CLG as appropriate, has not accepted the TOU, the Coordinator changes the User’s status to “TOU blocked” (urn:dece:type:status:blocked:tou). See diagrams in [DCoord] Section 5.8.

If the TOU is updated, the User, or CLG as appropriate, must accept the updated version within the DGEO_TOU_UPDATE_GRACE_PERIOD or the Coordinator will place the User in a “TOU blocked” status (urn:dece:type:status:blocked:tou) until the User, or CLG as appropriate, accepts the new TOU.

Before changing a User’s status at expiration of a TOU grace period (or directly after a TOU update if the grace period is 0), the Coordinator ensures that the status change will not interrupt User activity already in progress, such as purchasing (Rights Token placement), fulfillment, or streaming. In such instance the Coordinator will delay the status change until the activity finishes or the user begins a new activity.

2.6.1.6 Privacy Policy Updates

The Privacy Policy, and Children’s Privacy Policy if applicable, are incorporated by reference into the Terms of Use, and may be updated with notification but without requiring additional acceptance. If User acceptance of updates is required, the standard TOU update process will be activated (see above).

2.6.2 Age-related Policies

The age of a User SHALL be derived from the User’s Date of Birth.

The Coordinator uses the age of a User to set or block certain policies.

2.6.2.1 Recording Date of Birth

Verification of a User’s self-attested age, or the age of a User attested by the creating User, SHALL NOT be required.

A Node SHALL require that year, month, and day of birth are provided in order to create a User.

A Node SHALL NOT set the MeetsAgeOfMajority attribute.

Geographies Specification Version 1.1.1

2.6.2.2 Changing Date of Birth

Date of Birth SHALL NOT be editable. If a User wishes to change a Date of Birth property for themselves or another User, they MAY be informed that they must delete and recreate the User.

2.6.2.3 Age Transitions

A User with a date of birth specifying year, month, and day SHALL transition to a different age bracket defined by DGEO_CHILDUSER_AGE (from Child User to Youth User) or DGEO_AGEOFMAJORITY (from Youth User to Adult User) after midnight UTC of the specified day on the relevant year and month.

A User with a date of birth specifying year and month SHALL transition to a different age bracket after midnight UTC of the last day of the month on the relevant year.

A User with a date of birth specifying year SHALL transition to a different age bracket after midnight UTC of the last day on the relevant year.

2.6.2.4 Age Assertion by Coordinator

When the Coordinator federates User identity to a Node that requests age information, the Coordinator SHALL include an assertion of current age (not date of birth) if a date of birth value is recorded, otherwise it SHALL return a flag based on the MeetsAgeOfMajority attribute. See [DSecMech] 7.2.6.3.

Current age SHALL be calculated in years, relative to UTC, in the same manner as age transitions (see 2.6.2.3).

2.6.3 Connected Legal Guardian

2.6.3.1 Connected Legal Guardian Attestation

During the creation of a Child User, the Node providing the User creation functionality SHALL require the User creating such Child User to self-attest that they are the parent or legal guardian of the User being created. The attesting User SHALL be in active status. After such attestation, the CLGAttestation policy (`urn:dece:type:policy:CLGAttestation`) SHALL be set by the Node. This requirement may apply to Youth users as well. See the appropriate Appendix.

Geographies Specification Version 1.1.1

2.6.3.2 Privacy Assent

Where special consent or acknowledgement of a privacy policy is required, such as by a parent for a child, the GeoPrivacyAssent policy is used. The attesting User SHALL be in active status. See the Appendices below for territory-specific requirements and see DCoord 5.5.2.6 for details.

2.6.3.3 Connected Legal Guardian Status Changes

A Connected User's status (e.g., active, pending, deleted; as defined in [DCoord]) is always coupled by the Coordinator with the status of the Connected User's Connected Legal Guardian. If a Connected Legal Guardian moves out of an active status, the Coordinator changes the Connected User's status to CLG blocked (`urn:dece:type:status:blocked:clg`). For example, if a Connected Legal Guardian's status changes to pending, the Connected User's status is blocked. At such time that the CLG's status reverts to active, the Coordinator reverts the Connected User's status to its prior setting, unless there is some other reason to keep the Connected User's status in a pending state (for example, if the CLG accepts a Terms of Use update for themselves but fails to accept it on behalf of the Connected User). This policy is clearly explained in the e-mail sent by the Coordinator to both the Connected User and the CLG upon creation of the Connected User. Additional explanations are available at the Web Portal.

2.6.3.4 Changing the Connected Legal Guardian

At the time of publication of this document, should a CLG wish to transfer the role of being CLG to another FAU in the Account, such CLG will need to contact the appropriate customer support, who will be able to make such a change manually. The new CLG SHALL be required to follow the consent process set forth in 2.6.3.1 and 2.6.3.2 and provide additional CLG consent, TOU, and Privacy Policy acceptance as set forth in the appropriate appendix below.

Note: Until such time as the new Connected Legal Guardian provides attestation, the previously identified Connected Legal Guardian SHALL continue to be such Connected User's CLG.

In the future, the manual process may become an automated process within the Coordinator system.

In the event that DECE Customer Support is notified of the death of a CLG, the accounts of both the CLG and any associated Connected Users SHALL be placed into a pending state. This will be done manually at the Coordinator. DECE Customer Support SHALL make efforts to contact remaining Users of an Account in order to place a new CLG in the Account for the affected Users.

Geographies Specification Version 1.1.1

2.6.4 Information Sharing

2.6.4.1 Disclosure of Rights Token Information

When a User grants access to their Account by a Node (by obtaining a Delegation Security Token, whether or not UserLinkConsent is set), the Node will have access to most information related to the Rights Tokens in the Account (see [DCoord] Section 7.1.1). The Node SHALL only use this information to display the Account's Rights Locker and for no other purpose, other than what is allowed by the UserDataUsageConsent policy (see [DCoord] Section 5.5.2.2).

Notice of disclosure of content information to a Node upon a User linking their Account to the Node is provided in the Privacy Policy, as incorporated into the Terms of Use, to which each User must agree in order to participate in the Ecosystem.

A User may unlink the Account from a Node at any time, which will prevent any further disclosure of Rights Token information to that Node.

2.6.4.2 Disclosure of User Ability to See Content Usage and to Delete Users

A Node providing Account Management (including a Web Portal) SHALL display the following text, or substantially similar text, in any user interface for setting or changing the Access Level of a User: "Each member of this account can see certain information about you and other account members, including information such as the titles in the account, which member obtained them, where they were obtained, and members' viewing activity. You have consented to this sharing among account members. (See the UltraViolet Privacy Policy). If you set a member's access level to full or standard, that member may have the ability, as indicated in the chart above, to (i) delete you and other account members, and (ii) add additional members with the same privileges."

2.6.4.3 User Data Sharing

DataSharingConsent may be requested by a Node in conjunction with a Federation Security Token Request (see [DCoord] section 5).

2.6.5 Automatic Policy Creation by Coordinator

When issuing a Delegation Security Token for a User, the Coordinator automatically creates the following Account-level policy resources (if they don't already exist) for the requesting Node and for any Nodes named in the audience of the Delegation Security Token (see [DCoord] Section 5.7 and [DSecMech] Section 5.9.1), unless otherwise specified in an Appendix below.

Geographies Specification Version 1.1.1

- LockerViewAllConsent
- EnableUserDataUsageConsent
- EnableManageUserConsent

When ManageUserConsent is set for a Node or an Org for a User, the Coordinator automatically sets ManageAccountConsent for the Account (for the same Node or Org) if not already set. The ManageAccountConsent policy remains in place for the Node or Org until the last remaining ManageUserConsent policy for Users in the Account is deleted, at which point the Coordinator automatically deletes the ManageAccountConsent policy for the Node or Org.

2.6.6 Content Ratings and Parental Controls

When a rating (classification) is available for a territory in which a Content Provider licenses Content to one or more Retailers, Content Provider SHALL accurately mark Content with the appropriate rating using the RatingSet metadata element for Basic Metadata in the Coordinator (see [DMeta] section 3.1) and using the Ratings metadata element for Container Metadata (see [DMeta] section 4.1.1).

The Coordinator compares the Parental Control Settings (see the X.6 section of each appendix) of a User to the Content Rating(s) to perform Ratings Enforcement (see [DCoord] section 5.5.5.3 and 5.5.7).

Note that although Ratings Systems are specified for each territory, a User may choose from the entire set of Parental Control Settings regardless of User's country setting or current geographical location.

2.6.7 Consent Collection

Marketing consent (`urn:dece:type:policy:EnableUserDataUsageConsent`) SHALL NOT be pre-accepted when presented to the User for acceptance. For example, a checkbox to collect marketing consent must not be prechecked.

A marketing consent request SHOULD NOT be combined with other consents when presented to the User, but if it is, the combined consent SHALL NOT be pre-accepted.

Other consent requests SHOULD NOT be pre-accepted when presented to the User.

For consents other than marketing (`urn:dece:type:policy:EnableUserDataUsageConsent`), Nodes SHOULD present consent language retrieved from the Coordinator using the well-known URLs defined in section 5.5.3.2 of [DCoord].

Geographies Specification Version 1.1.1

2.6.8 Default Password Recovery Questions



Note: Credential Recovery questions are no longer supported as of [DCoord] version 1.0.4. This section is retained here for historical purposes and potential re-introduction in the future.

The Web Portal allows Users to choose from the following secret questions and supply answers. Other Nodes SHALL use these questions when providing the ability for a User to set or change their secret questions and answers. See Section 2.1.1.2 of [DCoord].

Question ID	Question (US English)
1200	What is name of your favorite movie?
1650	What is the name of your favorite song?
140538	What was the name of your first school?
140539	What was the name of the street you grew up on?
140540	What is your favorite color?

Table 2: Default Password Recovery Questions

2.6.8.1 Coordinator Notifications to Users

In addition to notifications documented in [DCoord], the following notifications are provided to Users, at their primary e-mail address, by the Coordinator. Notifications to Child Users are subject to any provisions in the appropriate Appendix.

- E-mail confirmation. Request for the User to confirm their e-mail address at the Web Portal. If the User has not accepted TOU, they are also prompted to accept TOU at the Web Portal as part of the e-mail confirmation process. If the User has accepted TOU, the notification includes the following or similar text: "By activating your membership you are affirming that you have accepted the [UltraViolet Terms of Use and Privacy Policy]." [UltraViolet Terms of Use and Privacy Policy] is a link to DGEO_TOU.
- Notification of added or deleted User. All Users of an Account are notified whenever a User is added to or deleted from the Account. The notification about an added User includes the following, or similar, text: "Each member of this account can see certain information about other account members, including information such as the titles in the account, which member obtained them, where they were obtained, and members' viewing activity. (See the UltraViolet Privacy Policy.) Members with full or standard access may have the ability to delete other account members and add additional members with the same privileges."

Geographies Specification Version 1.1.1

Geographies Specification Version 1.1.1

Appendix A. Geography Policies for the United States

A.1 Jurisdiction

“United States” refers to the United States including all territories, commonwealths, and possessions of the United States, and United States military bases, embassies, and consulates abroad.

Policies in this appendix SHALL apply to Accounts in the United States as determined by the Country property of the Account and to Users in the United States as determined by the Country property of the User.

State- or territory-level information is not required in the United States.

A.2 Parameters for United States

Protocol Version	DGEO_PROTOCOL_VERSION = 1.0
Geography Identifier	DGEO_ID = “US” (country property of User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:US:20110201
Child User Age	DGEO_CHILDDUSER_AGE = 13 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URL	DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/US/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹
Privacy Policy URL	DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/US/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹
Children’s Privacy Policy URL	DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/US/urn:dece:type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = English (en-US)

Geographies Specification Version 1.1.1

Default User Language(s)	DGEO_USER_LANGUAGES = en-US
--------------------------	-----------------------------

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table A.1 – Geography Policy Parameters for United States

A.3 Age-related Constraints for United States

A.3.1 Introduction

In order to provide services to Child Users and Youth Users, certain regulatory requirements (including but not limited to COPPA), privacy guidance, or best practices result in certain limitations on the operations of the Ecosystem, as further described in the following sections.

A.3.2 Determination of Age

See 2.6.2.

A.3.2.1 COPPA Guidelines for Age Collection

Age SHALL not be asked in a way that invites falsification. Some examples from the COPPA website of how to do this:

- Make sure the data entry point allows users to enter their age accurately. An example of a neutral age-screen would be a system that allows a user to freely enter month, day, and year of birth. A site that includes a drop-down menu that only permits users to enter birth years making them 13 or older, would not be considered a neutral age-screening mechanism since children cannot enter their correct age on that site.
- Not encouraging children to falsify their age information, for example, by stating that visitors under 13 cannot participate on your website or should ask their parents before participating. In addition, a site that does not ask for neutral date of birth information but rather simply includes a check box stating “I am over 12 years old” would not be considered a neutral age-screening mechanism.
- Employ temporary or permanent cookies to prevent children from back-buttoning to change their age in order to circumvent the parental consent requirement or obtain access to the site.

A.3.3 Country Attribute

The Country attribute of a Child User SHALL be alterable, if allowed, only by the CLG of the Child User.

Geographies Specification Version 1.1.1

The Country attribute of any other User SHALL be alterable, if allowed, only by a Full Access User.

A.3.4 Default Parental Control Policy Settings

When a User is added to an Account, Parental Control Information is not established by default. However, certain Content SHALL be blocked for certain Users. Unrated, Adult, and Explicit Music policies are set as indicated by the table below, which the Coordinator applies as determined by the created User's country and age.

Child User	Default
Block Unrated Content	No
Allow Adult Content	No ¹
Block Explicit Music Video	Yes ²
Youth User	Default
Block Unrated Content	No
Allow Adult Content	No ¹
Block Explicit Music Video	Yes ²
Adult User	Default
Block Unrated Content	No
Allow Adult Content	Yes
Block Explicit Music Video	No ²

Table A.2 – Default Parental Controls

¹ This value may not be changed. The Coordinator prohibits the "Allow Adult" Parental Control policy from being set for any Child or Youth User.

² If the global ProhibitExplicitLyrics policy is set for a User (see [DCoord] 5.5.7.2), it applies to Content with the Explicit Lyrics or Explicit Content ratings defined in [TR-META-CM]. Although the ProhibitExplicitLyrics policy is associated with the US and the RIAA, it may be applied to Content available outside of the US.

A.3.5 Consent

Consent (as described in [DCoord] 5.5.1) SHALL be collected at a Web Portal or at a Node. Some consent collection for Child Users and Youth Users is limited (see A.3.6 for details of the limitations).

Geographies Specification Version 1.1.1

A.3.5.1 Retailer Consent for Disclosure of Content Information

In connection with and prior to the completion of any transaction that involves the placement of one or more Rights Tokens in a User's Account, a Retailer SHALL inform such User that the completion of such transaction will result in the disclosure of information that identifies the specific UltraViolet Content (including, for example, the title of such UltraViolet Content and where such UltraViolet Content was obtained) corresponding to such Rights Token to (i) all other Users of such UltraViolet Account, and (ii) all UltraViolet Licensees accessed by any User of the UltraViolet Account in connection with the use thereof, and obtain such User's consent to such disclosure.

A.3.5.2 LASP Consent for Disclosure of Content Access

Prior to permitting a User to log into his or her UltraViolet Account through its service for the first time, a LASP SHALL obtain such User's consent to disclose information that identifies such User's activity with respect to all UltraViolet Content in such User's UltraViolet Account (including, for example, the titles of the UltraViolet Content streamed by such User and the time at which such UltraViolet Content was streamed) to (i) all other Users of such UltraViolet Account, and (ii) all UltraViolet Licensees accessed by any User of the UltraViolet Account in connection with the use thereof. In the case where the login occurs in connection with the creation of an UltraViolet User, such consent SHALL be obtained by the LASP during such User creation and, at the LASP's option, may be either obtained separately or included as part of a combined consent with other consents.

A.3.6 Restrictions on Certain Age Categories

The minimum age of a User creating a new Account SHALL be the Age of Majority.

The following restrictions apply:

Child User

- a) A Child User SHALL be either a BAU or SAU.
- b) Only an Adult User SHALL create a Child User. Upon creation of the Child User, such Adult User SHALL attest that he/she is the parent or legal guardian, which establishes such Adult User as the Connected Legal Guardian (CLG).
- c) The Connected Legal Guardian must accept the Terms of Use (TOU) on behalf of the Child User and must provide COPPA consent in order for the Child User to become active. If the TOU (which includes the Privacy and Children's Privacy Policy) is updated, the Connected Legal Guardian must accept the update in order for the Child User to remain active (see 2.6.1).

Geographies Specification Version 1.1.1

- d) The Connected Legal Guardian remains connected to a Child User for so long as that User continues to be a Child User. Once the Child User becomes a Youth User (as determined by their date of birth property and DGEO_CHILDUSER_AGE):
- The connection to the CLG is automatically removed by the Coordinator.
 - The Coordinator sends a notice to the former CLG informing them that COPPA no longer applies and their consent is no longer required on behalf of the former Child User, that they will no longer receive notices related to that User, and that other FAUs will be able to change settings for that User.
 - The Coordinator deletes Policies specific to Child Users: Connected Legal Guardian Attestation Policy (`urn:dece:type:policy:CLGAttestation`) and Special Geographic Privacy Assent (`urn:dece:type:policy:GeoPrivacyAssent`).
- e) A Child User SHALL NOT create other Users.
- f) A Child User SHALL NOT set his or her own parental controls; parental controls SHALL be set only by the Connected Legal Guardian.
- g) The UserDataUsageConsent policy is not allowed for a Child User. (It may not be set by the Child User or by any other User, including the CLG.)
- h) The DataSharingConsent policy is not allowed for a Child User. (It may not be set by the Child User or by any other User, including the CLG.)

Youth User:

- a) A Youth User SHALL be either a BAU or SAU.
- b) Only an Adult User SHALL create a Youth User.
- c) After a Youth User becomes an adult (as determined by their date of birth property and DGEO_AGE OF MAJORITY) the Coordinator will no longer place any Youth-related restrictions on the User. The Coordinator will not notify the User of this change in status.
- d) A Youth User SHALL only create Adult Users, limited to BAU and SAU access levels. The created User SHALL inherit the Parental Control settings of the creating Youth User.
- e) A Youth User SHALL NOT set his or her own parental controls; parental controls SHALL be set only by an FAU.

Geographies Specification Version 1.1.1

A.3.7 Visibility of a Child User’s Information

The following listed Child User's Information SHALL NOT be displayed to any additional User other than the Child User's Connected Legal Guardian and SHALL NOT be available to Customer Support Roles or subroles, with the exception of the DECE Customer Support Role (urn:dece:role:dece:customersupport), the Web Portal Customer Support Role (urn:dece:role:portal:customersupport), and the Coordinator Customer Support Role (urn:dece:role:coordinator:customersupport). The concealment of this information is provided by the Coordinator. The following lists how each data point is treated:

Username

Concealment is achieved by including the first and last character of the username, and inserting exactly 6 punctuation characters between them. For example, for a Username of “alison”, the Coordinator API would replace this value with “a*****n”. The replacement character employed is at the discretion of the Coordinator, and will be selected from the US-ASCII-7 [ASCII] character set.

Given Name and Surname

Concealment is achieved by including the first and last character of the given name and the first and last character of the surname, and inserting exactly 6 punctuation characters between them. For example, for a given name of “alison”, the Coordinator API would replace this value with “a*****n”. The replacement character employed is at the discretion of the Coordinator, and will be selected from the US-ASCII-7 [ASCII] character set.

Contact Information

Contact information, including e-mail address, is not visible to any User other than the Child User and that Child User’s CLG.

Date of Birth

Date of Birth is not visible to any User other than the Child User and that Child User’s CLG.

A.3.8 Limitations on User Profile information Updates

The following table defines the restrictions limiting the update of certain information for Child Users:

	CLG Only (CLG is FAU)	Any Other FAU (not including CLG)	Child (Self)
TOU acceptance	Yes	NA	No
Children’s Privacy Policy	Yes	NA	No

Geographies Specification Version 1.1.1

	CLG Only (CLG is FAU)	Any Other FAU (not including CLG)	Child (Self)
consent			
TOU changes acceptance	Yes	NA	No
Parental Controls	Yes ¹	No	No
Account linking consent	No	No	Yes
Marketing consent (UserDataUsageConsent)	No	No	No
Data sharing consent (DataSharingConsent)	No	No	No
Account management consent (ManageUserConsent)	Yes	No	Create: No Delete: Yes
Delete User	Yes	Yes	Yes (per access level)
Date of birth	Yes ²	No	No
Country	Yes ²	No	No
Access Level	Yes	No	No
Username	Yes	No ³	Yes ⁴
Password	Yes	No ³	Yes ⁴
Security questions/answers	Yes	No ³	Yes ⁴
Avatar image	Yes	No ³	Yes ⁴
Given name/surname	Yes	No ³	Yes ⁴
Contact info (incl. email address)	Yes	No ³	Yes ⁴

Table A.3 – Limitations on Child Update

¹ – “Allow Adult” Parental Control policy is never permissible for Child Users.

² – Set only, at User creation. Can’t be changed.

³ - FAU cannot revise because this is considered PI for COPPA purposes.

⁴ – All changes by a Child User to these items will be notified to the CLG (see A.4.2).

The following table defines the restrictions limiting the update of certain information for Youth Users:

	FAU	Youth (Self)
TOU acceptance	No	Yes
TOU changes acceptance	No	Yes

Geographies Specification Version 1.1.1

	FAU	Youth (Self)
Parental Controls	Yes ¹	No
Account linking consent	No	Yes
Marketing consent (UserDataUsageConsent)	No	Yes
Account management consent (ManageUserConsent)	No	Yes
Data sharing consent (DataSharingConsent)	No	Yes
Delete User	Yes	Yes (per access level)
Date of birth	Yes ²	No
Access Level	Yes	No
Username	Yes	Yes
Password	Yes	Yes
Security questions/answers	Yes	Yes
Avatar image	Yes	Yes
Given name/surname	Yes	Yes
Contact info (incl. email address)	Yes	Yes

Table A.4 – Limitations on Youth Update

¹ – “Allow Adult” Parental Control policy is never permissible for Youth Users.

² – Set only, at User creation. Can’t be changed.

A.4 Connected Legal Guardian

This section further describes the operation of a Connected Legal Guardian and their connected Child User(s).

A.4.1 Required COPPA Communications

The Coordinator will provide all necessary e-mail communications to the Connected Legal Guardian of a Child User.

The COPPA process requires the Connected Legal Guardian to provide an initial COPPA consent. This will be done via an e-mail sent by the Coordinator to the Connected Legal Guardian. Upon receipt of such

Geographies Specification Version 1.1.1

consent, Coordinator will send out a second e-mail confirming the receipt of the initial COPPA consent. A summary of the two communications from Coordinator is provided in Section A.7.

The first e-mail notification includes a link to the Web Portal, to a specific page where the CLG provides the required COPPA consent, which is recorded in the Coordinator for the Child User, using the GeoPrivacyAssent policy.

A.4.2 Event Notifications for Connected Legal Guardians

Any email communications that would normally occur between the Coordinator and a User may be provided to a Child User. In addition, any change in the Child User's account will also notify the CLG of the change (for example, the Child User's changing their display name will trigger an e-mail to be sent to the Child User and to that Child User's CLG).

If a CLG's status changes as described in section A.4.1, email notification of the Child User's status change will also be made to the CLG to will indicate why the status change occurred.

During initial Account and User creation, confirmation emails are sent by the Coordinator to the CLG, which may include communications concerning: email verification, terms of use acceptance, confirmation of CLG status, and required COPPA communications (as set forth in section A.4.1). With regard to notifications to a CLG on any of these confirmation email messages, the Coordinator may incorporate all such communication in a single message, and ensure all outstanding policy actions can be addressed as required at the Web Portal.

A.5 (Blank)

(This section left blank to maintain consistent appendix section numbering.)

A.6 Rating Systems and Identifiers for United States

See 2.6.6 for requirements and notes.

A.6.1 Parental Control Settings

The following URNs are used to represent Parental Control Settings for a User corresponding to ratings systems applicable to the United States (see [DCoord] section 5.5.5).

Region	Type	System	Rating	Rating Identifier
United States	Film	MPAA	G	urn:dece:type:rating:US:MPAA:G
			PG	urn:dece:type:rating:US:MPAA:PG

Geographies Specification Version 1.1.1

Region	Type	System	Rating	Rating Identifier
(US)			PG13	urn:dece:type:rating:US:MPAA:PG-13
			R	urn:dece:type:rating:US:MPAA:R
			NC17	urn:dece:type:rating:US:MPAA:NC-17
United States	TV	TV Guidelines (TVPG)	TV-Y	urn:dece:type:rating:US:TVPG:TV-Y
			TV-Y7 ¹	urn:dece:type:rating:US:TVPG:TV-Y7
			TV-G	urn:dece:type:rating:US:TVPG:TV-G
			TV-PG	urn:dece:type:rating:US:TVPG:TV-PG
			TV-14	urn:dece:type:rating:US:TVPG:TV-14
			TV-MA	urn:dece:type:rating:US:TVPG:TV-MA
United States	TV	TV Guidelines (TVPG) – Reason Codes	V – Violence	{base rating identifier}:v
			S – Sexual Content	{base rating identifier}:s
			L – Language	{base rating identifier}:l
			D –	{base rating identifier}:d
			FV – Fantasy Violence	{base rating identifier}:fv
United States	Film	Film Advisory Board	C	urn:dece:type:rating:US:FAB:C
			F	urn:dece:type:rating:US:FAB:F
			PD	urn:dece:type:rating:US:FAB:PD
			PD-M	urn:dece:type:rating:US:FAB:PD-M
			EM	urn:dece:type:rating:US:FAB:EM
			AO	urn:dece:type:rating:US:FAB:AO
United States	Film	Film Advisory Board – Reason Codes	violence	{base rating identifier}:violence
			frightening	{base rating identifier}:frightening
			sexual	{base rating identifier}:sexual
			mildlang	{base rating identifier}:mildlang
			stronglang	{base rating identifier}:stronglang
			substance	{base rating identifier}:substance
			intense	{base rating identifier}:intense
			Bnudity	{base rating identifier}:bnudity
			Fnudity	{base rating identifier}:fnudity

Geographies Specification Version 1.1.1

Region	Type	System	Rating	Rating Identifier
			Explicit	{base rating identifier}:explicit
			Erotica	{base rating identifier}:erotica
United States	Music	RIAA	Explicit Lyrics	urn:dece:type:rating:US:Music:RIAA:ProhibitExplicitLyrics

¹ TV-Y7-FV was formerly listed as a rating, but is actually a rating (TV-Y7) combined with a reason (FV). The correct construction using the reason code SHALL be used instead.

Table A.5 – Ratings Systems

A.6.2 Content Rating

Content Providers providing Content intended for the United States SHALL set the Basic Metadata `RatingSet` element (see [DMeta] 3.1) using a classification covered in the table above when such rating is available, otherwise Content Providers MAY mark the Content as Adult or MAY leave the content unrated.

A.7 Additional or Changed Coordinator Notifications for the United States

The following notifications are provided to Users with a country setting of United States, at their e-mail address, by the Coordinator.

- COPPA consent required. Sent to the CLG upon creation of a Child User, informing the CLG that they must review and provide consent to the Privacy Policy and Children’s Privacy Policy for the identified Child User.
- COPPA consent acknowledgement. Sent to the CLG, confirming that their consent to the Privacy Policy and Children’s Privacy Policy for the identified Child User has been recorded, informing the CLG that e-mail messages may be sent to them regarding the Child User, informing the CLG that only they may review or modify the Child User’s information or remove the Child User.
- Notification that a Child User has automatically become a Youth User and is no longer subject to Child User restrictions.

Geographies Specification Version 1.1.1

Appendix B. Geography Policies for the United Kingdom and Crown Dependencies

B.1 Jurisdiction

“United Kingdom” refers to all of the territories within the United Kingdom and Crown dependencies (the Channel Islands and the Isle of Man). All users from each of the four UK nations (England, Wales, Scotland, and Northern Ireland) and territories and dependencies SHALL be treated uniformly.

Policies in this appendix SHALL apply to Accounts in the United Kingdom as determined by the Country property of the Account and to Users in the United Kingdom as determined by the Country property of the User.

Nation- or territory-level information is not required in the United Kingdom.

B.2 Parameters for the United Kingdom

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1
Geography Identifier	DGEO_ID = “GB” (country property of User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:GB:20120701
Child User Age	DGEO_CHILDUSER_AGE = 16 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult) <i>Note: Although age of majority in Scotland is 17, the UK version of UltraViolet standardizes at 18.</i>
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URL	DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/GB/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹
Privacy Policy URL	DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/GB/urn:dece:

Geographies Specification Version 1.1.1

	type:policy:PrivacyPolicy/{format}/Current/ ¹
Children’s Privacy Policy URL	DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/GB/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = English (en-US)
Default User Language(s)	DGEO_USER_LANGUAGES = en-GB

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table B.1 – Geography Policy Parameters for the United Kingdom

B.3 Age-related Constraints for the United Kingdom

B.3.1 Introduction

In order to provide services to Child Users (called Junior Users in certain user-facing communication such as the Junior Privacy Policies) and Youth Users, certain regulatory requirements, privacy guidance, or best practices result in certain require limitations on the operations of the Ecosystem, as further described in the following sections.

B.3.2 Determination of Age

(See 2.6.2.)

B.3.3 Country Attribute

The Country attribute of a Child User SHALL be alterable, if allowed, only by the CLG of the Child User.

The Country attribute of any other User SHALL be alterable, if allowed, only by a Full Access User.

B.3.4 Default Parental Control Policy Settings

When a User is added to an Account, Parental Control Information is not established by default. However, certain Content SHALL be blocked for certain Users. Unrated, Adult, and Explicit Music policies are set as indicated by the table below, which the Coordinator applies as determined by the created User’s country and age.

Child User	Default
Block Unrated Content	Yes
Allow Adult Content	No ¹
Block Explicit Music Video	Yes ²

Geographies Specification Version 1.1.1

Youth User	Default
Block Unrated Content	Yes
Allow Adult Content	No ¹
Block Explicit Music Video	Yes ²
Adult User	Default
Block Unrated Content	No
Allow Adult Content	Yes
Block Explicit Music Video	No ²

Table B.2 – Default Parental Controls

¹ This value may not be changed. The Coordinator prohibits the “Allow Adult” Parental Control policy from being set for any Child or Youth User.

² If the global ProhibitExplicitLyrics policy is set for a User (see [DCoord] 5.5.7.2), it applies to Content with the Explicit Lyrics or Explicit Content ratings defined in [TR-META-CM]. Although the ProhibitExplicitLyrics policy is associated with the US and the RIAA, it may be applied to Content available outside of the US.

B.3.5 Consent

Consent (as described in [DCoord] 5.5.1) SHALL be collected at a Web Portal or at a Node. Some consent collection for Child Users and Youth Users is limited (see B.3.6 for details of the limitations).

B.3.6 Restrictions on Certain Age Categories

The minimum age of a User creating a new Account SHALL be the Age of Majority (DGEO_AGE OF MAJORITY).

The following restrictions apply:

Child User

- a) A Child User SHALL be either a BAU or SAU.
- b) Only an Adult User SHALL create a Child User. Upon creation of the Child User, such Adult User SHALL attest that he/she is the parent or legal guardian, which establishes such Adult User as the Connected Legal Guardian (CLG).
- c) The Connected Legal Guardian must accept the Terms of Use (TOU) on behalf of the Child User in order for the Child User to become active. If the TOU (which includes the Privacy Policy and

Geographies Specification Version 1.1.1

Junior Privacy Policy) is updated, the CLG must accept the update in order for the Child User to remain active (see 2.6.1).

- d) The Connected Legal Guardian remains connected to a Child User for so long as that User continues to be a Child User. Once the Child User becomes a Youth User (as determined by their date of birth property and DGEO_CHILDUSER_AGE):
- The connection to the CLG is automatically removed by the Coordinator.
 - The former Child User's account is put into a "pending" state until such time as the now Youth User accepts the TOU and Privacy Policy on his or her own behalf.
 - The Coordinator sends an e-mail to the now Youth User, alerting them of their new status, and directing the now Youth User to check and reaffirm their profile information and settings and accept the TOU and Privacy Policy on their own behalf. (Note: Alternative implementations are possible in the future with respect to the email notification, provided that the now Youth User is informed of the reason why the account has been placed in the pending status.)
 - The Coordinator sends a notice to the former CLG informing them of the new status of the former Child User, that CLG consent is no longer required on behalf of that User, that the CLG will no longer receive notices related to that User, and that other FAUs will be able to change settings for that User.
 - The Coordinator deletes the Policy specific to Child Users: Connected Legal Guardian Attestation Policy (`urn:dece:type:policy:CLGAttestation`).
- e) A Child User SHALL NOT create other Users.
- f) A Child User SHALL NOT set his or her own parental controls; parental controls SHALL be set only by the Connected Legal Guardian.
- g) The UserDataUsageConsent policy is not allowed for a Child User. (It may not be set by the Child User or by any other User, including the CLG.)
- h) The DataSharingConsent policy is not allowed for a Child User. (It may not be set by the Child User or by any other User, including the CLG.)

Youth User:

- a) A Youth User SHALL be either a BAU or SAU.

Geographies Specification Version 1.1.1

- b) Only an Adult User SHALL create a Youth User.
- c) After a Youth User becomes an adult (as determined by their date of birth property and DGEO_AGE OF MAJORITY) the Coordinator will no longer place any Youth-related restrictions on the User. The Coordinator will not notify the User of this change in status.
- d) A Youth User SHALL only create Adult Users, limited to BAU and SAU access levels. The created User SHALL inherit the Parental Control settings of the creating Youth User.
- e) A Youth User SHALL NOT set his or her own parental controls; parental controls SHALL be set only by an FAU.

B.3.7 Visibility of a Child User's Information

The following listed Child User's Information SHALL NOT be displayed to any User other than the Child User's Connected Legal Guardian and SHALL NOT be available to Customer Support Roles or subroles, with the exception of the DECE Customer Support Role (urn:dece:role:dece:customersupport), the Web Portal Customer Support Role (urn:dece:role:portal:customersupport), and the Coordinator Customer Support Role (urn:dece:role:coordinator:customersupport). The concealment of this information is provided by the Coordinator. The following lists how each data point is treated:

Username

Concealment is achieved by including the first and last character of the username, and inserting exactly 6 punctuation characters between them. For example, for a Username of "alison", the Coordinator API would replace this value with "a*****n". The replacement character employed is at the discretion of the Coordinator, and will be selected from the US-ASCII-7 [ASCII] character set.

Given Name and Surname

Concealment is achieved by including the first and last character of the given name and the first and last character of the surname, and inserting exactly 6 punctuation characters between them. For example, for a given name of "alison", the Coordinator API would replace this value with "a*****n". The replacement character employed is at the discretion of the Coordinator, and will be selected from the US-ASCII-7 [ASCII] character set.

Contact Information

Contact information, including e-mail address, is not visible to any User other than the Child User and that Child User's CLG.

Geographies Specification Version 1.1.1

Date of Birth

Date of Birth is not visible to any User other than the Child User and that Child User’s CLG.

B.3.8 Limitations on User Profile information Updates

The following table defines the restrictions limiting the update of certain information for Child Users:

	CLG Only (CLG is FAU)	Any Other FAU (not including CLG)	Child (Self)
TOU acceptance	Yes	NA	No
TOU changes acceptance	Yes	NA	No
Parental Controls	Yes ¹	No	No
Account linking consent	No	No	Yes
Marketing consent (UserDataUsageConsent)	No	No	No
Data sharing consent (DataSharingConsent)	No	No	No
Account management consent (ManageUserConsent)	Yes	No	Create: No Delete: Yes
Delete User	Yes	Yes	Yes (per access level)
Date of birth	Yes ²	No	No
Country	Yes ²	No	No
Access Level	Yes	No	No
Username	Yes	No	Yes ³
Password	Yes	No	Yes ³
Security questions/answers	Yes	No	Yes ³
Avatar image	Yes	No	Yes ³
Given name/surname	Yes	No	Yes ³
Contact info (incl. email address)	Yes	No	Yes ³

Table B.3 – Limitations on Child Update

¹ – “Allow Adult” Parental Control policy is never permissible for Child Users.

² – Set only, at User creation. Can’t be changed.

³ – All changes by a Child User to these items will be notified to the CLG (see B.4.1).

Geographies Specification Version 1.1.1

The following table defines the restrictions limiting the update of certain information for Youth Users:

	FAU	Youth (Self)
TOU acceptance	No	Yes
TOU changes acceptance	No	Yes
Parental Controls	Yes ¹	No
Account linking consent	No	Yes
Marketing consent (userDataUsageConsent)	No	Yes
Account management consent (manageUserConsent)	No	Yes
Data sharing consent (DataSharingConsent)	No	Yes
Delete User	Yes	Yes (per access level)
Date of birth	Yes ²	No
Access Level	Yes	No
Username	Yes	Yes
Password	Yes	Yes
Security questions/answers	Yes	Yes
Avatar image	Yes	Yes
Given name/surname	Yes	Yes
Contact info (incl. email address)	Yes	Yes

Table B.4 – Limitations on Youth Update

¹ – “Allow Adult” Parental Control policy is never permissible for Youth Users.

² – Set only, at User creation. Can’t be changed.

B.4 Connected Legal Guardian

This section further describes the operation of a Connected Legal Guardian and their connected Child User(s).

B.4.1 Event Notifications for Connected Legal Guardians

Any email communications that would normally occur between the Coordinator and a User may be provided to a Child User. In certain instances, e-mails may only go to the CLG and not the Child User. In

Geographies Specification Version 1.1.1

addition, any change in the Child User's information will also notify the CLG of the change (for example, the Child User's changing their display name will trigger an e-mail to be sent to the Child User and to that Child User's CLG). Note that the Child User's e-mail address may be the same as the CLG's e-mail address.

Upon creation of a Child User, the Coordinator sends an e-mail to the Child User and the Connected Legal Guardian explaining the UltraViolet Junior Privacy Policy.

If a CLG's status changes as described in section A.4.1, email notification of the Child User's status change will also be made to the CLG to indicate why the status change occurred.

During initial Account and User creation, confirmation emails are sent by the Coordinator to the CLG, which may include communications concerning: email verification, terms of use acceptance, and confirmation of CLG status. With regard to notifications to a CLG on any of these confirmation email messages, the Coordinator may incorporate all such communication in a single message, and ensure all outstanding policy actions can be addressed as required at the Web Portal.

B.5 Cookies

For purposes of compliance with regulations relating to the use of "cookies", the Web Portal provides the following notice upon login, and the User is provided the option for a cookie to be placed which allows the User to re-enter the Web Portal for a specified period of time. The notice is the following or similar:

Keep me signed in – You will stay signed in for up to <period of time> (or until you sign out). You are allowing us to store a small, temporary file (called a cookie) on your computing device. To learn more about the cookies we use and how to manage them, see the UltraViolet Privacy Policy. If you choose not to accept the cookie, you must sign in again when you return.

Consent is given when a user checks the "Keep me signed in" box, selects a "Yes, accept cookie(s)" button, or otherwise affirmatively accepts a notice about cookie placement. The Web Portal does not place any cookies on the User's device until consent is given.

The session tracking cookies used during a User session within the Web Portal do not need separate notice and consent where necessary for the operation of the session.

B.6 Rating Systems and Identifiers for the United Kingdom

See 2.6.6 for requirements and notes.

Geographies Specification Version 1.1.1

B.6.1 Parental Control Settings

The following Policy Class URNs are used to represent Parental Control Settings for a User corresponding to ratings systems applicable to the United Kingdom (see [DCoord] section 5.5.5). These ratings apply to both movie and television Content.

Region	Type	System	Rating	Rating Identifier ¹
United Kingdom (GB)	Film & TV	BBFC	U	urn:dece:type:rating:GB:BBFC:U
			PG	urn:dece:type:rating:GB:BBFC:PG
			12	urn:dece:type:rating:GB:BBFC:12
			15	urn:dece:type:rating:GB:BBFC:15
			18	urn:dece:type:rating:GB:BBFC:18
			R18	urn:dece:type:rating:GB:BBFC:R18

Table B.5 – Ratings Systems

B.6.2 Content Rating

The only ratings system supported by the Coordinator for Content made available in the United Kingdom is the BBFC ratings system. Content Providers providing ratings for Content intended for the United Kingdom SHOULD set the Basic Metadata `RatingSet` element (see [DMeta] 3.1) using a BBFC classification covered by the table above or categorize such Content as Adult or Explicit Lyrics/Explicit Content.

Note: The 12A rating applies only to films in a cinema. Home video mistakenly identified as 12A should have the 12 rating applied.

Note: “EXEMPT” is allowed as a Basic Metadata `RatingSet` element, but there is currently no mechanism in the Web Portal to set a corresponding Parental Control policy. Therefore the Coordinator ignores “EXEMPT” during ratings enforcement, resulting in the equivalent of unrated Content (as long as there are no other values in `RatingSet` for this ratings system).

Geographies Specification Version 1.1.1

Appendix C. Geography Policies for Canada

C.1 Jurisdiction

“Canada” refers to the provinces and territories of Canada.

Policies in this appendix SHALL apply to Accounts in Canada as determined by the Country property of the Account and to Users in Canada as determined by the Country property of the User.

Province- or territory-level information is not required in Canada.

C.2 Parameters for Canada

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1
Geography Identifier	DGEO_ID = “CA” (country property of User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:CA:20120508
Child User Age	DGEO_CHILDDUSER_AGE = 13 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URL	DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/CA/urn:dece:type:policy:termsofuse/{format}/Current/ ¹
Privacy Policy URL	DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/CA/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹
Child User Privacy Policy URL	DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/CA/urn:dece:type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = English (en-US)
Default User Language(s)	DGEO_USER_LANGUAGES = en-CA

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Geographies Specification Version 1.1.1

Table C.1 – Geography Policy Parameters for Canada

C.3 Age-related Constraints for Canada

Same as A.3 with the exception of A.3.5.1 (Retailer Consent for Disclosure of Content Information) and A.3.5.2 (LASP Consent for Disclosure of Content Access), which are not required in Canada.

C.4 Connected Legal Guardian

Same as A.4.

C.5 (Blank)

(This section left blank to maintain consistent appendix section numbering.)

C.6 Rating Systems and Identifiers for Canada

C.6.1 Parental Control Settings

The following Policy Class URNs are used to represent Parental Control Settings for a User corresponding to ratings systems applicable to Canada (see [DCoord] section 5.5.5).

Region	Type	System	Rating	Rating Identifier
Canada (CA)	Film	CHVRS (Canadian Home Video Rating System – MPA-Canada)	G	urn:dece:type:rating:CA:CHVRS:G
			PG	urn:dece:type:rating:CA:CHVRS:PG
			14A	urn:dece:type:rating:CA:CHVRS:14A
			18A	urn:dece:type:rating:CA:CHVRS:18A
			R	urn:dece:type:rating:CA:CHVRS:R
	TV	CBSC (Canadian Broadcast Standards Council)	C	urn:dece:type:rating:CA:CBSC:C
			C8	urn:dece:type:rating:CA:CBSC:C8
			G	urn:dece:type:rating:CA:CBSC:G
			PG	urn:dece:type:rating:CA:CBSC:PG
			14+	urn:dece:type:rating:CA:CBSC:14+
			18+	urn:dece:type:rating:CA:CBSC:18+

Table C.2 – Ratings Systems

Geographies Specification Version 1.1.1

C.6.2 Content Rating

The only ratings systems supported by the Coordinator for Content made available in Canada are the CHVRS and CBSC ratings systems. Content Providers providing ratings for Content intended for Canada SHOULD set the Basic Metadata `RatingSet` element (see [DMeta] 3.1) using a classification from the table above or categorize such Content as Adult or Explicit Lyrics/Explicit Content.

C.7 Additional or Changed Coordinator Notifications for Canada

Same as A.6.

Geographies Specification Version 1.1.1

Appendix D. Geography Policies for the Republic of Ireland

D.1 Jurisdiction

“Ireland” refers to the Republic of Ireland.

Policies in this appendix SHALL apply to Accounts in Ireland as determined by the Country property of the Account and to Users in Ireland as determined by the Country property of the User.

County-level information is not required in Ireland.

D.2 Parameters for Ireland

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1
Geography Identifier	DGEO_ID = “IE” (country property of User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:IE:20120901
Child User Age	DGEO_CHILDDUSER_AGE = 16 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URL	DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/IE/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹
Privacy Policy URL	DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/IE/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹
Children’s Privacy Policy URL	DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/IE/urn:dece:type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = English (en-US)
Default User Language(s)	DGEO_USER_LANGUAGES = en-IE

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Geographies Specification Version 1.1.1

Table D.1 – Geography Policy Parameters for Ireland

D.3 Age-related Constraints for Ireland

Same as B.3.

D.4 Connected Legal Guardian

Same as B.4.

D.5 Cookies

Same as B.5.

D.6 Rating Systems and Identifiers for Ireland

See 2.6.6 for requirements and notes.

D.6.1 Parental Control Settings

The following Policy Class URNs are used to represent Parental Control Settings for a User corresponding to ratings systems applicable to Ireland (see [DCoord] section 5.5.5). These ratings apply to both movie and television Content.

Region	Type	System	Rating	Rating Identifier
Ireland (IE)	Film/TV	IFCO	G	urn:dece:type:rating:IE:IFCO:G
			PG	urn:dece:type:rating:IE:IFCO:PG
			12	urn:dece:type:rating:IE:IFCO:12
			15	urn:dece:type:rating:IE:IFCO:15
			18	urn:dece:type:rating:IE:IFCO:18

Table D.2 – Ratings Systems

D.6.2 Content Rating

The only ratings system supported by the Coordinator for Content made available in Ireland is the IFCO (Irish Film Classification Office) system. Content Providers providing ratings for Content intended for Ireland SHOULD set the Basic Metadata `RatingSet` element (see [DMeta] 3.1) using an IFCO

Geographies Specification Version 1.1.1

classification covered in the table above or categorize such Content as Adult or Explicit Lyrics/Explicit Content.

Note: The 12A and 15A ratings apply only to films in a cinema. Home video mistakenly identified as 12A or 15A should have the 12 or 15 rating applied.

Note: The 16 rating applies only to films in a cinema. The 15 or 18 rating should be used for home video releases of content that was classified 16 for cinema.

Note: "EXEMPT" is allowed as a Basic Metadata `RatingSet` element, but there is currently no mechanism in the Web Portal to set a corresponding Parental Control policy. Therefore the Coordinator SHALL ignore "EXEMPT" during ratings enforcement, resulting in the equivalent of unrated Content (as long as there are no other values in `RatingSet` for this ratings system).

Geographies Specification Version 1.1.1

Appendix E. Geography Policies for Australia

E.1 Jurisdiction

“Australia” refers to Australia and all territories of Australia.

Policies in this appendix SHALL apply to Accounts in Australia as determined by the Country property of the Account and to Users in Australia as determined by the Country property of the User.

State- or territory-level information is not required in Australia.

E.2 Parameters for Australia

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1
Geography Identifier	DGEO_ID = “AU” (country property of User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:AU:20120901
Child User Age	DGEO_CHILDDUSER_AGE = 16 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URL	DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/AU/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹
Privacy Policy URL	DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/AU/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹
Children’s Privacy Policy URL	DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/AU/urn:dece:type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = English (en-US)
Default User Language(s)	DGEO_USER_LANGUAGES = en-AU

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Geographies Specification Version 1.1.1

Table E.1 – Geography Policy Parameters for Australia

E.3 Age-related Constraints for Australia

Same as B.3.

E.4 Connected Legal Guardian

Same as B.4.

E.5 Cookies

Same as B.5.

E.6 Rating Systems and Identifiers for Australia

E.6.1 Parental Control Settings

The following Policy Class URNs are used to represent Parental Control Settings for a User corresponding to ratings systems applicable to Australia (see [DCoord] section 5.5.5). These ratings apply to both movie and television Content.

Region	Type	System	Rating	Rating Identifier
Australia (AU)	Film/TV	NCS	G	urn:dece:type:rating:AU:NCS:G
			PG	urn:dece:type:rating:AU:NCS:PG
			M	urn:dece:type:rating:AU:NCS:M
			MA 15+	urn:dece:type:rating:AU:NCS:MA15
			R 18+	urn:dece:type:rating:AU:NCS:R18

Table E.2 – Ratings Systems

E.6.2 Content Rating

The only ratings system supported by the Coordinator for Content made available in Australia is NCS (National Classification Scheme). Content Providers providing Content intended for Australia SHALL set the Basic Metadata `RatingSet` element (see [DMeta] 3.1) using an NCS classification covered in the table above unless the Content Provider determines that Content is exempt from classification under section 5B of the *Classification (Publications, Films and Computer Games) Act 1995*, in which case it SHOULD mark the Basic Metadata `RatingSet` element as exempt.

Geographies Specification Version 1.1.1

Note: “EXEMPT” is allowed as a Basic Metadata `RatingSet` element, but there is currently no mechanism in the Web Portal to set a corresponding Parental Control policy. Therefore the Coordinator ignores “EXEMPT” during ratings enforcement, resulting in the equivalent of unrated Content (as long as there are no other values in `RatingSet` for this ratings system).

Geographies Specification Version 1.1.1

Appendix F. Geography Policies for New Zealand

F.1 Jurisdiction

Policies in this appendix SHALL apply to Accounts in New Zealand as determined by the Country property of the Account and to Users in New Zealand as determined by the Country property of the User.

F.2 Parameters for New Zealand

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1
Geography Identifier	DGEO_ID = "NZ" (country property of User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:NZ:20120901
Child User Age	DGEO_CHILDDUSER_AGE = 16 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URL	DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/NZ/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹
Privacy Policy URL	DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/NZ/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹
Children's Privacy Policy URL	DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/NZ/urn:dece:type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = English (en-US)
Default User Language(s)	DGEO_USER_LANGUAGES = en-NZ

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table F.1 – Geography Policy Parameters for New Zealand

Geographies Specification Version 1.1.1

F.3 Age-related Constraints for New Zealand

Same as B.3.

F.4 Connected Legal Guardian

Same as B.4.

F.5 Cookies

Same as B.5.

F.6 Rating Systems and Identifiers for New Zealand

F.6.1 Parental Control Settings

The following Policy Class URNs are used to represent Parental Control Settings for a User corresponding to ratings systems applicable to New Zealand (see [DCoord] section 5.5.5). These ratings apply to both movie and television Content.

Region	Type	System	Rating	Rating Identifier
New Zealand (NZ)	Film/TV	OFLC	G	urn:dece:type:rating:NZ:OFLC:G
			PG	urn:dece:type:rating:NZ:OFLC:PG
			M	urn:dece:type:rating:NZ:OFLC:M
			RP13	urn:dece:type:rating:NZ:OFLC:RP13
			R13	urn:dece:type:rating:NZ:OFLC:R13
			R15	urn:dece:type:rating:NZ:OFLC:R15
			RP16	urn:dece:type:rating:NZ:OFLC:RP16
			R16	urn:dece:type:rating:NZ:OFLC:R16
			R18	urn:dece:type:rating:NZ:OFLC:R18
			R	urn:dece:type:rating:NZ:OFLC:R

Table F.2 – Ratings Systems

F.6.2 Content Rating

The only ratings system supported by the Coordinator for Content made available in New Zealand is the OFLC (Office of Film and Literature Classification) system. Content Providers providing Content intended

Geographies Specification Version 1.1.1

for New Zealand SHALL set the Basic Metadata `RatingSet` element (see [DMeta] 3.1) using an OFLC classification covered in the table above unless the Content Provider determines that the Content is exempt from classification under the *Films, Videos, and Publications Classification Act 1993*, in which case it SHOULD mark the Basic Metadata `RatingSet` element as exempt.

Note: “Exempt” is allowed as a Basic Metadata `RatingSet` element, but there is currently no mechanism in the Web Portal to set a corresponding Parental Control policy. Therefore the Coordinator ignores “Exempt” during ratings enforcement, resulting in the equivalent of unrated Content (as long as there are no other values in `RatingSet` for this ratings system).

Geographies Specification Version 1.1.1

Appendix G. Geography Policies for France

G.1 Jurisdiction

“France” refers to the French Republic.

Policies in this appendix SHALL apply to Accounts in France as determined by the Country property of the Account and to Users in France as determined by the Country property of the User.

G.2 Parameters for France

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1
Geography Identifier	DGEO_ID = “FR” (country property of Account or User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:FR:20130923
Child User Age	DGEO_CHILDUSER_AGE = 18 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URLs	English: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/FR/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹ French: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/FR-fr/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹
Privacy Policy URLs	English: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/FR/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹ French: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/FR-fr/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹
Children’s Privacy Policy URLs	English: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/FR/urn:dece:type:policy:GeoPrivacyAssent/{format}/Current/ ¹

Geographies Specification Version 1.1.1

	French: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/FR-fr/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = Standard French (fr)
Default User Language(s)	DGEO_USER_LANGUAGES = French (fr-FR)

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table G.1 – Geography Policy Parameters for France

G.3 Age-related Constraints for France

G.3.1 Introduction

In order to provide services to Child Users, certain regulatory requirements, privacy guidance, or best practices result in certain require limitations on the operations of the Ecosystem, as further described in the following sections.

The category of Youth User, defined for other territories, does not apply to France.

G.3.2 Determination of Age

(See 2.6.2.)

G.3.3 Country Attribute

Same as B.3.3.

G.3.4 Default Parental Control Policy Settings

When a User is added to an Account, Parental Control Information is not established by default. However, certain Content SHALL be blocked for certain Users. Unrated, Adult, and Explicit Music policies are set as indicated by the table below, which the Coordinator applies as determined by the created User's country and age.

Child User	Default
Block Unrated Content	Yes
Allow Adult Content	No ¹
Block Explicit Music Video	Yes ²
Adult User	Default
Block Unrated Content	No

Geographies Specification Version 1.1.1

Allow Adult Content	Yes
Block Explicit Music Video	No ²

Table G.2 – Default Parental Controls

¹ This value may not be changed. The Coordinator prohibits the “Allow Adult” Parental Control policy from being set for any Child User.

² If the global ProhibitExplicitLyrics policy is set for a User (see [DCoord] 5.5.7.2), it applies to Content with the Explicit Lyrics or Explicit Content ratings defined in [TR-META-CM]. Although the ProhibitExplicitLyrics policy is associated with the US and the RIAA, it may be applied to Content available outside of the US.

G.3.5 Consent

Same as B.3.5.

G.3.6 Restrictions on Certain Age Categories

The minimum age of a User creating a new Account SHALL be the Age of Majority.

The following restrictions apply:

Child User

- i) A Child User SHALL be either a BAU or SAU.
- j) Only an Adult User SHALL create a Child User. Upon creation of the Child User, such Adult User SHALL attest that he/she is the parent or legal guardian, which establishes such Adult User as the Connected Legal Guardian (CLG).
- k) The Connected Legal Guardian must accept the Terms of Use (TOU) on behalf of the Child User in order for the Child User to become active. If the TOU (which includes the Privacy Policy and Children’s Privacy Policy) is updated, the CLG must accept the update in order for the Child User to remain active (see 2.6.1).
- l) The Connected Legal Guardian remains connected to a Child User for so long as that User continues to be a Child User. Once the Child User becomes an Adult User (as determined by their date of birth property and DGEO_CHILDUSER_AGE):
 - The connection to the CLG is automatically removed by the Coordinator.

Geographies Specification Version 1.1.1

- The former Child User’s account is put into a “pending” state until such time as the now Adult User accepts the TOU and Privacy Policy on his or her own behalf.
 - The Coordinator sends an e-mail to the now Adult User, alerting them of their new status, and directing the now Adult User to check and reaffirm their profile information and settings and accept the TOU and Privacy Policy on their own behalf. (Note: Alternative implementations are possible in the future with respect to the email notification, provided that the now Adult User is informed of the reason why the account has been placed in the pending status.)
 - The Coordinator sends a notice to the former CLG informing them of the new status of the former Child User, that CLG consent is no longer required on behalf of that User, that the CLG will no longer receive notices related to that User, and that other FAUs will be able to change settings for that User.
 - The Coordinator deletes the Policy specific to Child Users: Connected Legal Guardian Attestation Policy (`urn:dece:type:policy:CLGAttestation`).
- m) A Child User SHALL NOT create other Users.
- n) A Child User SHALL NOT set his or her own parental controls; parental controls SHALL be set only by the Connected Legal Guardian.
- o) The UserDataUsageConsent policy may be set for a Child User by the CLG.
- p) The DataSharingConsent policy is not allowed for a Child User. (It may not be set by the Child User or by any other User, including the CLG.).

G.3.7 Visibility of a Child User’s Information

Same as B.3.7.

G.3.8 Limitations on User Profile information Updates

The following table defines the restrictions limiting the update of certain information for Child Users:

	CLG Only (CLG is FAU)	Any Other FAU (not including CLG)	Child (Self)
TOU acceptance	Yes	NA	No
TOU changes acceptance	Yes	NA	No
Parental Controls	Yes ¹	No	No

Geographies Specification Version 1.1.1

	CLG Only (CLG is FAU)	Any Other FAU (not including CLG)	Child (Self)
Account linking consent	No	No	Yes
Marketing consent (UserDataUsageConsent)	Yes	No	No
Data sharing consent (DataSharingConsent)	No	No	No
Account management consent (ManageUserConsent)	Yes	No	Create: No Delete: Yes
Delete User	Yes	Yes	Yes (per access level)
Date of birth	Yes ²	No	No
Country	Yes ²	No	No
Access Level	Yes	No	No
Username	Yes	No	Yes ³
Password	Yes	No	Yes ³
Security questions/answers	Yes	No	Yes ³
Avatar image	Yes	No	Yes ³
Given name/surname	Yes	No	Yes ³
Contact info (incl. email address)	Yes	No	Yes ³

Table G.3 – Limitations on Child Update

¹ – “Allow Adult” Parental Control policy is never permissible for Child Users.

² – Set only, at User creation. Can’t be changed.

³ – All changes by a Child User to these items will be notified to the CLG (see B.4.1).

G.4 Connected Legal Guardian

Same as B.4.

G.5 Cookies

Same as B.5.

Geographies Specification Version 1.1.1

G.6 Rating Systems and Identifiers for France

G.6.1 Parental Control Settings

The following Policy Class URNs are used to represent Parental Control Settings for a User corresponding to ratings systems applicable to France and also to Luxembourg (see [DCoord] section 5.5.5). These ratings apply to both movie and television Content.

Region	Type	System	Rating	Rating Identifier
France (FR)	Film/TV	MoC (Ministry of Culture)	Tous publics	urn:dece:type:rating:FR:MOC:U
			Déconseillé aux moins de 10 ans	urn:dece:type:rating:FR:MOC:10
			Interdit aux moins de 12 ans	urn:dece:type:rating:FR:MOC:12
			Interdit aux moins de 16 ans	urn:dece:type:rating:FR:MOC:16
			Interdit aux mineurs	urn:dece:type:rating:FR:MOC:18

Table G.4 – Ratings Systems

G.6.2 Content Rating

The only ratings system supported by the Coordinator for Content made available in France is from the Ministère de la Culture et de la Communication (Ministry of Culture). Content Providers providing Content intended for France SHOULD set the Basic Metadata `RatingSet` element (see [DMeta] 3.1) using a classification covered in the table above.

Note: “Exempt” is allowed as a Basic Metadata `RatingSet` element, but there is currently no mechanism in the Web Portal to set a corresponding Parental Control policy. Therefore the Coordinator ignores “Exempt” during ratings enforcement, resulting in the equivalent of unrated Content (as long as there are no other values in `RatingSet` for this ratings system).

Geographies Specification Version 1.1.1

Appendix H. Geography Policies for Germany

H.1 Jurisdiction

“Germany” refers to Federal Republic of Germany.

Policies in this appendix SHALL apply to Accounts in Germany as determined by the Country property of the Account and to Users in Germany as determined by the Country property of the User.

H.2 Parameters for Germany

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1
Geography Identifier	DGEO_ID = “DE” (country property of Account or User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:DE:20130923
Child User Age	DGEO_CHILDDUSER_AGE = 14 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URLs	English: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/DE/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹ German: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/DE-de/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹
Privacy Policy URLs	English: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/DE/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹ German: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/DE-de/urn:dece: type:policy:PrivacyPolicy/{format}/Current/ ¹
Children’s Privacy Policy URLs	English: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/DE/urn:dece:type:policy:GeoPrivacyAssent/{format}/Current/ ¹

Geographies Specification Version 1.1.1

	German: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/DE-de/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = Standard German (de)
Default User Language(s)	DGEO_USER_LANGUAGES = de-DE

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table H.1 – Geography Policy Parameters for Germany

H.3 Age-related Constraints for Germany

Same as B.3.

H.4 Connected Legal Guardian

Same as B.4.

H.5 Cookies

Same as B.5.

H.6 Rating Systems and Identifiers for Germany

H.6.1 Parental Control Settings

The following Policy Class URNs are used to represent Parental Control Settings for a User corresponding to ratings systems applicable to Germany and also to Austria, Switzerland, and Luxembourg (see [DCoord] section 5.5.5). These ratings apply to both movie and television Content.

Region	Type	System	Rating	Rating Identifier
Germany (DE)	Film/TV	FSK (Freiwillige Selbstkontrolle der Filmwirtschaft)	Freigegeben ohne Altersbeschränkung	urn:dece: type:rating:DE:FSK:0
			Freigegeben ab 6 Jahren	urn:dece: type:rating:DE:FSK:6
			Freigegeben ab 12 Jahren	urn:dece: type:rating:DE:FSK:12
			Freigegeben ab 16 Jahren	urn:dece: type:rating:DE:FSK:16
			Keine Jugendfreigabe	urn:dece: type:rating:DE:FSK:18

Table H.2 – Ratings Systems

Geographies Specification Version 1.1.1

H.6.2 Content Rating

The only ratings system supported by the Coordinator for Content made available in Germany is the Freiwillige Selbstkontrolle der Filmwirtschaft (FSK, Voluntary Self-regulation of the Movie Industry). Content Providers providing Content intended for Germany SHOULD set the Basic Metadata `RatingSet` element (see [DMeta] 3.1) using a classification covered in the table above, unless the Content Provider determines that Content is exempt from classification under the *Jugendschutzgesetz (JuSchG - Children and Young Persons Protection Act)*, in which case it SHOULD mark the Basic Metadata `RatingSet` element as exempt. Alternatively, Content Providers MAY mark the Content as Adult.

Note: “EXEMPT” is allowed as a Basic Metadata `RatingSet` element, but there is currently no mechanism in the Web Portal to set a corresponding Parental Control policy. Therefore the Coordinator ignores “EXEMPT” during ratings enforcement, resulting in the equivalent of unrated Content (as long as there are no other values in `RatingSet` for this ratings system).

Geographies Specification Version 1.1.1

Appendix I. Geography Policies for Austria

I.1 Jurisdiction

“Austria” refers to the Republic of Austria.

Policies in this appendix SHALL apply to Accounts in Austria as determined by the Country property of the Account and to Users in Austria as determined by the Country property of the User.

I.2 Parameters for Austria

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1
Geography Identifier	DGEO_ID = “AT” (country property of Account or User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:AT:20130923
Child User Age	DGEO_CHILDDUSER_AGE = 14 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URLs	English: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/AT/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹ German: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/AT-de/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹
Privacy Policy URLs	English: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/AT/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹ German: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/AT-de/urn:dece: type:policy:PrivacyPolicy/{format}/Current/ ¹
Children’s Privacy Policy URLs	English: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/AT/urn:dece:type:policy:GeoPrivacyAssent/{format}/Current/ ¹

Geographies Specification Version 1.1.1

	German: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/AT-de/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = Standard German (de)
Default User Language(s)	DGEO_USER_LANGUAGES = de-AT

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table I.1 – Geography Policy Parameters for Austria

I.3 Age-related Constraints for Austria

Same as B.3.

I.4 Connected Legal Guardian

Same as B.4.

I.5 Cookies

Same as B.5.

I.6 Rating Systems and Identifiers for Austria

Content Providers MAY use Germany FSK ratings (see H.6), in which case the FSK parental control settings apply.

Geographies Specification Version 1.1.1

Appendix J. Geography Policies for Switzerland

J.1 Jurisdiction

“Switzerland” refers to the Swiss Confederation.

Policies in this appendix SHALL apply to Accounts in Switzerland as determined by the Country property of the Account and to Users in Switzerland as determined by the Country property of the User.

J.2 Parameters for Switzerland

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1
Geography Identifier	DGEO_ID = “CH” (country property of Account or User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:CH:20130923]
Child User Age	DGEO_CHILDUUSER_AGE = 16 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URLs	English: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/CH/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹ German: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/CH-de/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹ French: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/CH-fr/urn:dece:type:policy:TermsOfUse/{format}/Current/ ¹
Privacy Policy URLs	English: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/CH/urn:dece:type:policy:PrivacyPolicy/{format}/Current/ ¹ German: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/CH-de/urn:dece: type:policy:PrivacyPolicy/{format}/Current/ ¹

Geographies Specification Version 1.1.1

	French: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/CH-fr/urn:dece: type:policy:PrivacyPolicy/{format}/Current/ ¹
Children’s Privacy Policy URLs	English: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/CH/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current/ ¹ German: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/CH-de/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current/ ¹ French: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/CH-fr/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current/ ¹
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = Standard German (de)
Default User Language(s)	DGEO_USER_LANGUAGES = de-CH, fr-CH

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table J.1 – Geography Policy Parameters for Switzerland

J.3 Age-related Constraints for Switzerland

Same as B.3.

J.4 Connected Legal Guardian

Same as B.4.

J.5 Cookies

Same as B.5.

J.6 Rating Systems and Identifiers for Switzerland

The Germany FSK system (see H.6) is used for Switzerland.

Geographies Specification Version 1.1.1

Appendix K. Geography Policies for Belgium

K.1 Jurisdiction

“Belgium” refers to the Kingdom of Belgium.

Policies in this appendix SHALL apply to Accounts in Belgium as determined by the Country property of the Account and to Users in Belgium as determined by the Country property of the User.

K.2 Parameters for Belgium

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1.1
Geography Identifier	DGEO_ID = “BE” (country property of Account or User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:BE:20140218
Child User Age	DGEO_CHILDUUSER_AGE = 16 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URLs ¹	English: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/BE/urn:dece:type:policy:TermsOfUse/{format}/Current Dutch: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/BE-nl/urn:dece:type:policy:TermsOfUse/{format}/Current French: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/BE-fr/urn:dece:type:policy:TermsOfUse/{format}/Current German: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/BE-de/urn:dece:type:policy:TermsOfUse/{format}/Current
Privacy Policy URLs ¹	English: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/BE/urn:dece:type:policy:PrivacyPolicy/{format}/Current

Geographies Specification Version 1.1.1

	<p>Dutch: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/BE-nl/urn:dece: type:policy:PrivacyPolicy/{format}/Current</p> <p>German: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/BE-fr/urn:dece: type:policy:PrivacyPolicy/{format}/Current</p> <p>German: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/BE-de/urn:dece: type:policy:PrivacyPolicy/{format}/Current</p>
Children’s Privacy Policy URLs ¹	<p>English: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/BE/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current</p> <p>Dutch: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/BE-nl/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current</p> <p>French: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/BE-fr/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current</p> <p>German: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/BE-de/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current</p>
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = Standard Dutch (nl)
Default User Language(s)	DGEO_USER_LANGUAGES = nl-BE, fr-BE, de

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table K.1 – Geography Policy Parameters for Belgium

K.3 Age-related Constraints for Belgium

Same as B.3.

K.4 Connected Legal Guardian

Same as B.4.

K.5 Cookies

Same as B.5.

K.6 Rating Systems and Identifiers for Belgium

K.6.1 Parental Control Settings

Geographies Specification Version 1.1.1

Content Providers MAY use the Netherlands Kijkwijzer ratings (see M.6), in which case the Kijkwijzer parental control settings apply.

Geographies Specification Version 1.1.1

Appendix L. Geography Policies for Luxembourg

L.1 Jurisdiction

“Luxembourg” refers to the Grand Duchy of Luxembourg.

Policies in this appendix SHALL apply to Accounts in Luxembourg as determined by the Country property of the Account and to Users in Luxembourg as determined by the Country property of the User.

L.2 Parameters for Luxembourg

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1.1
Geography Identifier	DGEO_ID = “LU” (country property of Account or User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:LU:20140218]
Child User Age	DGEO_CHILDSUSER_AGE = 18 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URLs ¹	English: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/LU/urn:dece:type:policy:TermsOfUse/{format}/Current French: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/LU-fr/urn:dece:type:policy:TermsOfUse/{format}/Current German: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/LU-de/urn:dece:type:policy:TermsOfUse/{format}/Current
Privacy Policy URLs ¹	English: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/LU/urn:dece:type:policy:PrivacyPolicy/{format}/Current French: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/LU-fr/urn:dece:type:policy:PrivacyPolicy/{format}/Current

Geographies Specification Version 1.1.1

	German: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/LU-de/urn:dece: type:policy:PrivacyPolicy/{format}/Current
Children’s Privacy Policy URLs ¹	English: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/LU/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current French: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/LU-fr/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current German: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/LU-de/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = Standard French (fr)
Default User Language(s)	DGEO_USER_LANGUAGES = fr-LU, de-LU

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table L.1 – Geography Policy Parameters for Luxembourg

L.3 Age-related Constraints for Luxembourg

Same as G.3.

The category of Youth User, defined for other territories, does not apply to Luxembourg.

L.4 Connected Legal Guardian

Same as B.4.

L.5 Cookies

Same as B.5.

L.6 Rating Systems and Identifiers for Luxembourg

Content Providers MAY use Germany FSK ratings (see H.6), in which case the FSK parental control settings apply, or France MoC ratings (see G.6), in which case the MoC parental control settings apply.

Geographies Specification Version 1.1.1

Appendix M. Geography Policies for the Netherlands

M.1 Jurisdiction

“Netherlands” refers to the Kingdom of the Netherlands.

Policies in this appendix SHALL apply to Accounts in the Netherlands as determined by the Country property of the Account and to Users in the Netherlands as determined by the Country property of the User.

M.2 Parameters for the Netherlands

Protocol Version	DGEO_PROTOCOL_VERSION = 1.1.1
Geography Identifier	DGEO_ID = “NL” (country property of Account or User)
Profile ID	DGEO_PROFILE_ID = urn:dece:type:geoprofile:NL:20140218
Child User Age	DGEO_CHILDDUSER_AGE = 16 (User under this age is a Child)
Adult User Age	DGEO_AGEOFMAJORITY = 18 (User at or above this age is an Adult)
Minimum Age of FAU	DGEO_FAU_MIN_AGE = DGEO_AGEOFMAJORITY
Minimum Age of SAU	DGEO_SAU_MIN_AGE = none
Minimum Age of BAU	DGEO_BAU_MIN_AGE = none
TOU Acceptance Grace Period	DGEO_TOU_ACCEPTANCE_GRACE_PERIOD = 0 hours
TOU Update Grace Period	DGEO_TOU_UPDATE_GRACE_PERIOD = 0 days unless otherwise specified for a given update
DNS Name	DGEO_API_DNSNAME = uvvu.com
Portal Base URL	DGEO_PORTALBASE = my.uvvu.com
Policy Text URL	DGEO_TEXTBASE = c.uvvu.com
Terms of Use URLs ¹	English: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/NL/urn:dece:type:policy:TermsOfUse/{format}/Current Dutch: DGEO_TOU = [DGEO_TEXTBASE]/Consent/Text/NL-nl/urn:dece:type:policy:TermsOfUse/{format}/Current
Privacy Policy URLs ¹	English: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/NL/urn:dece:type:policy:PrivacyPolicy/{format}/Current Dutch: DGEO_PP = [DGEO_TEXTBASE]/Consent/Text/NL-nl/urn:dece:type:policy:PrivacyPolicy/{format}/Current
Children’s Privacy Policy URLs ¹	English: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/NL/urn:dece:

Geographies Specification Version 1.1.1

	type:policy:GeoPrivacyAssent/{format}/Current Dutch: DGEO_CPP = [DGEO_TEXTBASE]/Consent/Text/NL-nl/urn:dece: type:policy:GeoPrivacyAssent/{format}/Current
Default Web Portal Language	DGEO_PORTAL_LANGUAGE = Standard Dutch (nl)
Default User Language(s)	DGEO_USER_LANGUAGES = nl-NL

¹ Documents are provided in two formats: text and html. See [DCoord] 5.5.2.3.

Table M.1 – Geography Policy Parameters for the Netherlands

M.3 Age-related Constraints for the Netherlands

Same as B.3.

M.4 Connected Legal Guardian

Same as B.4.

M.5 Cookies

Same as B.5.

M.6 Rating Systems and Identifiers for the Netherlands

The following Policy Class URNs are used to represent Parental Control Settings for a User corresponding to ratings systems applicable to the Netherlands and also to Belgium (see [DCoord] section 5.5.5). These ratings apply to both movie and television Content.

Region	Type	System	Rating	Rating Identifier
Netherlands (NL)	Film/TV	Kijkwijzer	AL	urn:dece:type:rating:NL:Kijkwijzer:AL
			6	urn:dece:type:rating:NL:Kijkwijzer:6
			9	urn:dece:type:rating:NL:Kijkwijzer:9
			12	urn:dece:type:rating:NL:Kijkwijzer:12
			16	urn:dece:type:rating:NL:Kijkwijzer:16

Table M.2 – Ratings Systems

Geographies Specification Version 1.1.1

M.6.1 Content Rating

The ratings system supported by the Coordinator for Content made available in the Netherlands is Kijkwijzer, managed by Nederlands Instituut voor de Classificatie van Audiovisuele Media (NICAM). Content Providers providing Content intended for the Netherlands SHALL set the Basic Metadata `RatingSet` element (see [DMeta] 3.1) using a classification covered in the table above, unless the Content Provider determines, according to the General Statutes of NICAM, that the Content need not be classified, in which case it SHOULD mark the Basic Metadata `RatingSet` element as exempt.

Note: “EXEMPT” is allowed as a Basic Metadata `RatingSet` element, but there is currently no mechanism in the Web Portal to set a corresponding Parental Control policy. Therefore the Coordinator ignores “EXEMPT” during ratings enforcement, resulting in the equivalent of unrated Content (as long as there are no other values in `RatingSet` for this ratings system).

END